


KERAMIČKE PLOČICE
CERAMIC TILES
PIASTRELLE DI CERAMICA

2008

KERAMIKA
KANJIŽA
PLUS

®



Italia Nuova





Amore Bianco 25x37cm




Amore Nero 25x37cm



Amore Blu 25x37cm



Amore Arancio 25x37cm



Amore Rosso 25x37cm



Amore Verde 25x37cm



525L044P Compton Blu 5x25cm



325L043P Compton Nero 3x25cm



325L043P Compton Blu 3x25cm



325L043P Compton Arancio 3x25cm



325L043P Compton Rosso 3x25cm



325L043P Compton Verde 3x25cm



725L041 Riga 7x25cm



525L052 Gioco Nero 5x25cm



625L057 Palma Rosso-Nero 6x25cm



625L057 Palma Blu-Verde 6x25cm



625L045P Primavera 6x25cm



825L054P Flutto Nero Extra 8x25cm



825L054P Flutto Blu Extra 8x25cm



737L045P Primavera 7x37cm



637L054P Flutto Nero 6x37cm



637L054P Flutto Blu 6x37cm



637L054P Flutto Arancio 6x37cm



637L054P Flutto Rosso 6x37cm



637L054P Flutto Verde 6x37cm



637L055P Grazia Nero 6x37cm



637L055P Grazia Blu 6x37cm



637L055P Grazia Arancio 6x37cm



637L055P Grazia Rosso 6x37cm



637L055P Grazia Verde 6x37cm



Amore Bianco 33x33cm PEI IV



Amore Nero 33x33cm PEI II




Amore Blu 33x33cm PEI III



Amore Arancio 33x33cm PEI III




Amore Rosso 33x33cm PEI III



Amore Verde 33x33cm PEI III







Soho Bianco 25x37cm




Soho Nero 25x37cm



Soho Blu 25x37cm



Soho Perla 25x37cm




525L044P Compton Blu 5x25cm



325L043P Compton Nero 3x25cm



325L043P Compton Blu 3x25cm



525L052 Gioco Nero 5x25cm



825L054P Flutto Nero Extra 8x25cm



825L054P Flutto Blu Extra 8x25cm



525L053P Arabesco 1 5x25cm




525L053P Arabesco 2 5x25cm



637L053P Arabesco 1 6x37cm



637L053P Arabesco 2 6x37cm



Amore Bianco 33x33cm PEI IV



Amore Nero 33x33cm PEI II



Amore Blu 33x33cm PEI III





Pelle Beige 25x37cm



Pelle Marrone 25x37cm




Pelle Red 25x37cm



Mozaik Pelle Beige 25x37cm




Mozaik Pelle Marrone 25x37cm



Mozaik Pelle Red 25x37cm



725L048B Linea Marrone 7x25cm



2537C050 Burberry 25x37cm



2537C049 Ellisse 25x37cm



537L048B Linea Marrone 5x37cm



725L048P Linea Beige 7x25cm



625L050 Burberry 6x25cm



625L049 Ellisse 6x25cm



537L048P Linea Beige 5x37cm



637L050 Burberry 6x37cm



637L049 Ellisse 6x37cm



837L047 Rosa 8x37cm



825L046 Giappone 1 8x25cm



825L046 Giappone 2 8x25cm



Pelle Beige 33x33cm PEI III



Pelle Marrone 33x33cm PEI II



Pelle Red 33x33cm PEI II



Fancy World



Bambus Beige 25x37cm



537L058P
Wave
5x37cm



537L059P
Spots
5x37cm



Bambus Dark 25x37cm



525L058P
Wave
5x25cm



525L059P
Spots
5x25cm



2537C061Z
Pearl
25x37cm



1237C061Z
Pearl
12x37cm



725L061Z
Pearl
7x25cm



Bambus Beige 33x33cm
PEI III



Bambus Dark 33x33cm
PEI II





Emma Bianco 25x37cm



Emma Pistaccio 25x37cm



Emma Azzurro 25x37cm



Emma Lila 25x37cm



537L062P
Vitrage
5x37cm



1037L062P
Vitrage
10x37cm



525L062P Vitrage 5x25cm



2537C060 Flowery 25x37cm



1237L060
Flowery
12x37cm



737L060
Flowery
7x37cm




725L060 Flowery 7x25cm



Emma Bianco 33x33cm
PEI III



Emma Pistaccio 33x33cm
PEI III



Emma Azzurro 33x33cm
PEI III





Madrid
beige 25x37cm



Madrid
braon 25x37cm



825L015
braon 8x25cm



825L018
braon 8x25cm



825L023
Universo 8x25cm



Madrid
bež 33x33cm
PEI III



Madrid
braon 33x33cm
PEI III





Alberti Rosso 25x37cm



825L015 Alberti Rosso 8x25cm



525L056P Alberti Rosso 5x25cm



537L056P Alberti Rosso 5x37cm



Alberti Crema 25x37cm



Alberti Crema 33x33cm PEI III



Alberti Rosso 33x33cm PEI III



Alberti Bordo 25x37cm



825L015 Alberti Bordo 8x25cm



525L056P Alberti Bordo 5x25cm



537L056P Alberti Bordo 5x37cm



Alberti Bordo 33x33cm PEI II



Alberti Grigio 25x37cm



825L015 Alberti Grigio 8x25cm



525L056P Alberti Grigio 5x25cm



537L056P Alberti Grigio 5x37cm



Alberti Grigio 33x33cm PEI III



Alberti Adria 25x37cm



825L015 Alberti Adria 8x25cm




525L056P Alberti Adria 5x25cm



537L056P Alberti Adria 5x37cm



Imperia 25x37cm



Alberti Adria 33x33cm PEI III





Appia Antica 25x37cm



Mozaik Appia Antica 25x37cm



Dora 25x37



825L024 8x25cm



625L051B Appia Antica 6x25cm



625L051B Dora 6x25cm



825L025 8x25cm



825L042B Appia Antica 8x25cm



825L042B Dora 8x25cm



825L037 Beige Rustic 8x25cm



Appia Antica 33x33cm
PEI IV



165330B103 bež 16,5x33cm



165330B104 bež 16,5x33cm



Dora 33x33cm
PEI IV



165165U103 bež 16,5x16,5cm



165165U104 bež 16,5x16,5cm





Novara
žuta 25x37cm



825L033P
žuta 8x25cm



825L040P
žuta 8x25cm



Novara
žuta 33x33cm
PEI II



Novara
braon 25x37cm



825L033P
plava-braon 8x25cm



825L040P
braon 8x25cm



825L018
braon 8x25cm



Universo
25x37cm



Novara
braon 33x33cm
PEI II



Novara
plava 25x37cm



825L033P
plava-žuta 8x25cm



825L040P
plava 8x25cm



Novara
plava 33x33cm
PEI II



Novara
zelena 25x37cm



825L033P
zelena 8x25cm



825L040P
zelena 8x25cm



Novara
zelena 33x33cm
PEI II





Bela sjajna 25x37cm



825L022 crna 8x25cm



825L023 bela 8x25cm



725L036 Fruits 7x25cm



725L037 Beige Rustic 7x25cm



Bianco Carrara 25x37cm



Nero Marquina 25x37cm



825L023 bela 8x25cm



825L022 crna 8x25cm



Bianco Carrara 33x33cm PEI IV



Marmo Nero 33x33cm PEI I





Gotica Rosso 33x33cm PEI III



Gotica Arancio 33x33cm PEI III



Gotica Giallo 33x33cm PEI III



Pompei 33x33cm PEI III



165330B105 Pompei 16,5x33cm



165165U105 Pompei 16,5x16,5cm



Parket Breza 33x33cm PEI III



Parket Orah 33x33cm PEI II








Ararat Uni
siva 33x33cm
PEI IV



Ararat
siva 33x33cm
PEI IV



Colorado Uni
33x33cm
PEI IV




Colorado Dekor
33x33cm
PEI IV




Pietra
teracota 33x33cm
PEI IV



Pietra
siva 33x33cm
PEI IV



Stena
33x33cm
PEI IV



Sasso
33x33cm
PEI IV



Granito grigio
33x33cm
PEI III



Bologna 33x33cm
PEI III



Cotto Toscano 33x33cm
PEI IV



Rosso Toscano 33x33cm
PEI II



165165U101
bordo-bež
16,5x16,5cm



165330B101
bordo-bež
16,5x33cm



165165U101
bordo-siva
16,5x16,5cm



165330B101
bordo-siva
16,5x33cm



165165U103
Cotto
16,5x16,5cm



165330B103
Cotto
16,5x33cm



E815/P2
16,5x33cm



E815/P2
16,5x16,5cm



165165U104
Cotto
16,5x16,5cm



165330B104
Cotto
16,5x33cm



E780/P16
16,5x33cm



E780/P16
16,5x16,5cm



Step oranž
uz pločice: Cotto Toscano 33x33cm

Step grigio
uz pločice: Ararat 33x33cm
Pietra siva 33x33cm
Granito grigio 33x33cm

Step beige
uz pločice: Appia Antica 33x33cm

Step rosso
uz pločice: Gotica rosso 33x33cm
Gotica arancio 33x33cm
Pompei 33x33cm
Pietra terakota 33x33cm




Angle Step oranž
uz pločice: Cotto Toscano 33x33cm

Angle Step grigio
uz pločice: Ararat 33x33cm
Pietra siva 33x33cm
Granito grigio 33x33cm


Angle Step beige
uz pločice: Appia Antica 33x33cm

Angle Step rosso
uz pločice: Gotica rosso 33x33cm
Gotica arancio 33x33cm
Pompei 33x33cm
Pietra terakota 33x33cm

ZIDNE PLOČICE / RIVESTIMENTI / WALL TILES 25x37cm

| Tehničke karakteristike Caratteristiche tecniche Technical data | Metoda određivanja Norme Norms | Propisana vrednost Valore prescritto Required standards |  |
|---|--------------------------------------|--|---|
| Dužina i širina/ Lunghezza e larghezza/ Length and width | EN ISO 10545-2 (ex EN 98) | ± 0,5% | Odgovara Conforme Conforms |
| Debljina/ Spessore/ Thickness | | ± 10% | |
| Odstupanje od pravog ugla/ Ortogonalitá/ Rectangularity | | ± 0,5% | |
| Ravnost stranica/ Rettinileitá spigoli/ Straightness of sides | | ± 0,3% | |
| Ravnost površine/ Planaritá/ Surface flatness | | -0,3%/+0,5% | |
| Kvalitet površine/ Aspetto/ Appearance | | min 95% pločica bez vidljivog oštećenja min 95% piastrelle esente da difetti min 95% tiles with no visible defects | |
| Upijanje vode Assorbimento d'acqua Water absorption | EN ISO 10545-3 (ex EN 99) | > 10% | 13% |
| Čvrstoća pri lomu Carico di rottura Breaking strength | EN ISO 10545-4 (ex EN 100) | min 600 N | > 600 N |
| Modul loma pri savijanju Modulo di rottura a flessione Modulus of rupture (bending strength) | EN ISO 10545-4 (ex EN 100) | ≥ 12 N/mm ² | > 16 N/mm ² |
| Otpornost prema habanju Resistenza all'usura Wear resistance | EN ISO 10545-7 (ex EN 154) | | |
| Koeficijent linearnog termičkog širenja Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion | EN ISO 10545-8 (ex EN 103) | < 9/MK | 7/MK |
| Otpornost prema temperaturnom šoku Resistenza agli shock termici Resistance to thermal shock | EN ISO 10545-9 (ex EN 104) | Bez promene Nessun effetto visibile No visible effect | Odgovara Conforme Conforms |
| Otpornost prema mrazu Resistenza al gelo Frost resistance | EN ISO 10545-12 (ex EN 154) | | |
| Otpornost prema vlasavosti Resistenza a cavillo Crazing resistance | EN ISO 10545-11 (ex EN 105) | Bez promene Nessun effetto visibile No visible effect | Odgovara Conforme Conforms |
| Otpornost prema stvaranju mrlja Resistenza alle macchie Resistance to stains | EN ISO 10545-14 (ex EN 122) | Klasa 3 min Classe 3 min Class 3 min | Klasa 1 Classe 1 Class 1 |
| Otpornost prema hemikalijama u domaćinstvu Resistenza ai prodotti chimici di uso domestico Resistance to chemical products for domestic use | EN ISO 10545-13 (ex EN 122) | Klasa GB min Classe GB min Class GB min | Klasa AA Classe AA Class AA |

PODNE PLOČICE / PAVIMENTI / FLOOR TILES 33x33cm

| Tehničke karakteristike Caratteristiche tecniche Technical data | Metoda određivanja Norme Norms | Propisana vrednost Valore prescritto Required standards |  |
|---|--------------------------------------|--|---|
| Dužina i širina/ Lunghezza e larghezza/ Length and width | EN ISO 10545-2 (ex EN 98) | ± 0,6% | Odgovara Conforme Conforms |
| Debljina/ Spessore/ Thickness | | ± 5% | |
| Odstupanje od pravog ugla/ Ortogonalitá/ Rectangularity | | ± 0,6% | |
| Ravnost stranica/ Rettinileitá spigoli/ Straightness of sides | | ± 0,5% | |
| Ravnost površine/ Planaritá/ Surface flatness | | - 0,3%/+0,5% | |
| Kvalitet površine/ Aspetto/ Appearance | | min 95% pločica bez vidljivog oštećenja min 95% piastrelle esente da difetti min 95% tiles with no visible defects | |
| Upijanje vode Assorbimento d'acqua Water absorption | EN ISO 10545-3 (ex EN 99) | ≤ 3% | < 2% |
| Čvrstoća pri lomu Carico di rottura Breaking strength | EN ISO 10545-4 (ex EN 100) | min 1100 N | > 1100 N |
| Modul loma pri savijanju Modulo di rottura a flessione Modulus of rupture (bending strength) | EN ISO 10545-4 (ex EN 100) | ≥ 30 N/mm ² | > 35 N/mm ² |
| Otpornost prema habanju Resistenza all'usura Wear resistance | EN ISO 10545-7 (ex EN 154) | Klasa PEI se deklarirše za svaki proizvod Classe PEI si dichiara per ogni prodotto Class PEI is declared for every product | Deklaracija Dichiarazione Declaration |
| Koeficijent linearnog termičkog širenja Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion | EN ISO 10545-8 (ex EN 103) | < 9/MK | 7/MK |
| Otpornost prema temperaturnom šoku Resistenza agli shock termici Resistance to thermal shock | EN ISO 10545-9 (ex EN 104) | Bez promene Nessun effetto visibile No visible effect | Odgovara Conforme Conforms |
| Otpornost prema mrazu Resistenza al gelo Frost resistance | EN ISO 10545-12 (ex EN 154) | Bez promene Nessun effetto visibile No visible effect | Odgovara Conforme Conforms |
| Otpornost prema vlasavosti Resistenza a cavillo Crazing resistance | EN ISO 10545-11 (ex EN 105) | Bez promene Nessun effetto visibile No visible effect | Odgovara Conforme Conforms |
| Otpornost prema stvaranju mrlja Resistenza alle macchie Resistance to stains | EN ISO 10545-14 (ex EN 122) | Klasa 3 min Classe 3 min Class 3 min | Klasa 1 Classe 1 Class 1 |
| Otpornost prema hemikalijama u domaćinstvu Resistenza ai prodotti chimici di uso domestico Resistance to chemical products for domestic use | EN ISO 10545-13 (ex EN 122) | Klasa GB min Classe GB min Class GB min | Klasa AA Classe AA Class AA |